



Blind Screen Technical Guide

Specification

To achieve 100% Blackout please choose Model 01 Single with either left or right gather, or Model 02 Single with either Left, Right or Centre Gather

Detail	Standard Specification	Additional Options
Model	No standard	Refer to Min/Max Table Below
Frame Colour	No standard	White, Grey, Black
Pull Rod Colour	Matched to frame	White, Grey, Black
Cord Colour	Closest match to fabric	White, Grey, Black
Gather Option	No standard	Single: Model 01 up to 150cm wide: Left only, Right only or Both sides Model 01 over 150cm with Breeze In fabric: Left only, Right only or Both sides Model 01 over 150cm with Scene Set or Light Seal fabric: Both sides only Model 02 up to 400cm wide: Left only, Right only or Both sides Model 02 over 400cm with Breeze In fabric: Left only, Right only or Both sides Model 02 over 400cm with Scene Set or Light Seal fabric: Both sides only Dual: Both sides Double Track: Left only, Right only, Both sides
Bottom Threshold	Model 01: 20mm Colour matched Model 02: 26mm Colour Matched	Model 01: 10.6mm for Doors Colour Matched, 10.6mm for Windows Black, None Model 02: 13mm Colour Matched, None
Panel Quantity*	Minimum number possible, based on panel width being half the drop	Two to Eight, dependant on width and drop. See min/max specifications for further details.
Pull Rod Handle**	Model 02 with standard threshold: Curved, front only, colour coordinated to frame. Model 02 with low threshold: Curved, front & back, colour coordinated to frame. Model 03 & 03DT: None	Curved, black, front only Curved, black, front & back Curved, white, front only Curved, white, front & back Straight, black, front only Straight, black, front & back

* Model 03 only

** Model 02 & 03 only

Minimum/Maximum Sizes

Model	Fabric	Width		Drop	
		Min	Max	Min	Max
01 Single	Scene Set	20cm	150cm	20cm	250cm
	Light Seal				150cm
	Breeze In				250cm*
01 Dual	Scene Set	30cm	150cm	30cm	250cm
	Light Seal				150cm
	Breeze In				250cm*
02 Single	Scene Set	30cm	400cm	30cm	280cm
	Light Seal		600cm		
	Breeze In		600cm		
02 Dual	Scene Set	30cm	400cm	30cm	280cm
	Light Seal				
	Breeze In				
03 Single 03 Double Track	Scene Set	50cm	600cm	150cm	280cm
	Light Seal				
	Breeze In				

* Maximum drop for 01 with Breeze In White is currently 200cm, Grey and Black is 300cm.

03 Panel Specification

Model 03 panels must be between 50-150cm wide and at least a 1:2 ratio, meaning that the drop must be at least twice the width. Therefore, the number of panels which can be supplied is dependent on the drop of the blind.

The table below shows the minimum number of panels which can be supplied for each width:

Minimum number of panels

		Width (cm)											
		50	100	150	200	250	300	350	400	450	500	550	600
Drop (cm)	200	1	1	2	2	3	3	4	4	5	5	6	6
	225	1	1	2	2	3	3	4	4	4	5	5	6
	250	1	1	2	2	2	3	3	4	4	4	5	5
	275	1	1	2	2	2	3	3	3	4	4	4	5

You are able to request up to two extra panels, providing the width of each panel is at least 50cm.

The table below shows the maximum number of panels which can be supplied for each size:

Maximum number of panels

		Width (cm)											
		50	100	150	200	250	300	350	400	450	500	550	600
Drop (cm)	200	1	2	3	4	5	5	6	6	7	7	8	8
	225	1	2	3	4	5	5	6	6	6	7	7	8
	250	1	2	3	4	4	5	5	6	6	6	7	7
	275	1	2	3	4	4	5	5	5	6	6	6	7

As standard, all blinds are manufactured with the panels at an equal size and therefore the panels will be evenly spaced across the width of the blind when the blind is in its closed position.

If you would like the panels to be unevenly spaced, additional components are supplied with the blind to allow adjustment on site of approximately 120mm in either direction.

Blind Screen Gather
















Model	Fabric	Gather per Meter (mm)	Gather per System (mm)	Minimum Gather Width (mm)
01	Scene Set	50.1	40	51
	Light Seal	66.8	40	51
	Breeze In	37	40	51
02 Positive pull rod*	Scene Set	27.3	38	65
	Light Seal	54.3	38	65
	Breeze In	27.3	38	65
02 Negative pull rod**	Scene Set	27.3	38	71
	Light Seal	54.3	38	71
03	Scene Set	27.3	82	114
	Light Seal	54.3	82	114
	Breeze In	27.3	82	114

* Positive pull rod is the standard specification for all 02 single gather blinds and is used for one side of 02 split gather blinds

** Negative pull rod is used for the second panel of 02 split gather blinds and cannot be used with Breeze In fabric

Estimated Gather Width, Per Panel Width (mm)													
Model	Fabric	500	1000	1500	2000	2500	3000	3500	4000	4500	5000	5500	6000
01	Scene Set	66	91	116	Maximum width of 01 panels in Scene Set and Light Seal 1500mm								
	Light Seal	74	107	141									
	Breeze In	59	77	96	114	133	151	170	188	207	225	244	262
02 Positive pull rod*	Scene Set	65	66	79	93	107	120	134	148	Maximum width of 02 panels in Scene Set and Light Seal 4000mm			
	Light Seal	66	93	120	147	174	201	229	256				
	Breeze In	65	66	79	93	107	120	134	148	161	175	189	202
02 Negative pull rod**	Scene Set	71	71	79	93	107	120	134	148	Maximum width of 02 panels in Scene Set and Light Seal 4000mm			
	Light Seal	71	93	120	147	174	201	229	256				
03	Scene Set	114	114	123	Maximum width of 03 panels is 1500mm For overall gather width of multiple panels, multiply the gather width by the number of panels								
	Light Seal	114	137	164									
	Breeze In	114	114	123									

Frame Dimensions

	Top	Sides	Threshold	
			Standard	Low
Model 01 / 01D	 <p>Top, sides and standard threshold</p>	 <p>Top, sides and standard threshold</p>	 <p>Top, sides and standard threshold</p>	 <p>Door Low threshold</p>  <p>Window Low threshold</p>
			Threshold	
Model 02 / 02D	 <p>Top</p>	 <p>Sides and standard threshold</p>	 <p>Sides and standard threshold</p>	 <p>Window low threshold</p>
Model 03	 <p>Single top frame</p>	 <p>Side frame</p>	 <p>Single bottom runner</p>	
Model 03DT	 <p>Double track top frame</p>	 <p>Double track side frame</p>	 <p>Double track bottom runner</p>	

Handle Options (Model 02 & 03 only)

Handles can be attached to the pull rods of model 02 & 03 Blinds to assist with operation. These can be attached to either the front only (for windows) or front and back (for doors)



Curved Handle
(Available in Black and White)



Straight Handle
(Only available in Black)

Blind Screen Versatility



Blind Screen Breeze In Open



Blind Screen Breeze In Closed



Blind Screen Light Seal Blackout Closed



Exclusively Manufactured
By



Hallis Hudson, Unit C34, Red Scar Business Park, Longridge Road, Preston, Lancashire, PR2 5NN
Phone: 01772 202 202 | Email: sales@hallishudson.com | Shop: halliswebshop.com | Visit: www.hallishudson.com